



Arcs Acoustic Wall Panel - 2400x1200



panels


refelt

The Arcs Acoustic Wall Panel features a repeating cut pattern inspired by the Japanese Seigaiha wave. Thanks to its tileable design, the panels connect seamlessly and can cover a wall of any size. By applying a contrasting colour behind the panels, a subtle 3D effect is created.

Made from sustainable PET Felt, the panels deliver excellent acoustic performance and are easy to mount on both walls and ceilings.



Product overview



Collection	Standard
Material	PET Felt
Thickness	9 mm
Dimensions 1/4 set	1200 x 600 x 9mm
Weight 1/4 set	1.2 kg
Dimensions full panel	2400 x 1200 x 9mm
Weight full panel	4.8 kg

USP's

- Made from recycled plastic bottles
- Tileable thru-cut pattern
- Great acoustic performance
- Easy to mount and process
- Impact-resistant
- Sold per set of 4 or as a full panel




PET Felt

Our PET Felt is a sustainable and durable material made from recycled plastic bottles. The ground-up bottles are transformed into fibres, forming a soft yet sturdy felt with an open-cellular structure. This gives the material excellent acoustic properties, making it naturally sound-absorbing. PET Felt is easy to maintain, impact-resistant and fully recyclable.

Downloads

3D files, care & maintenance recommendations and installation guides are available at refelt.com.

Standard Collection

						
Black	Dark Grey	Grey	Light Grey	Marble	Camel	Coconut
						
Dark Blue	Cobalt	Denim	Blue	Sky	Cinnamon	Honey
						
Grape	Violet	Frost	Smoke	White	Beige	Sand
						
Wine	Red	Orange	Yellow	Green	Lime	Dark Green

Colour variations



Slight colour variations are a natural result of using recycled fibres in PET Felt panels. Each panel has a front and a back side, as the fibre nap runs in a specific direction on each surface. For a consistent finish, always install the panels with the front side facing out, and align them in the same direction throughout.

**Take a closer look and
explore the full collection**

refelt.com

**+31 (0)26 206 21 02
sales@refelt.com**

refelt