


# AKOESTIEKLABEL

## SLAB 20 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2013



SLA-20-P-GLD-30-ELV-120

### DESCRIPTION

Slab's acoustic properties reduce ambient noise while its distinctive aesthetics stand out.

### TYPE

Pendant

### DIMENSIONS

- Luminaire: 16.5 x 27.5 x 1.5cm / 6.5" x 11" x 0.6"
- Adjustable drop length: 243cm / 96"

\* CUSTOM LENGTH AVAILABLE

### CERTIFICATIONS




\* APPLICATION: DRY INDOOR LOCATION ONLY

### TECHNICAL INFORMATION

- Input Voltage: 110-120V, 220-240V, 110-277V
- Lamping: Integral 2W 12V DC LED  
CRI 90+, 50,000 hours
- Lumens: 122 lumens delivered
- Power Supply: Phase Dimming, 0-10V, DALI

### COLOUR TEMPERATURE



### MATERIALS

- Acrylic
- Merino Wool

### FINISHES



FOR CUSTOM FINISHES, PLEASE INQUIRE.


SERIES	SIZE	TYPE	FINISH	CCT	PS	VOLTAGE IN
SLA	20	P	<input type="checkbox"/> WWH (WOOL WHITE)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
			<input type="checkbox"/> GRY (WOOL GREY)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
			<input type="checkbox"/> BRN (WOOL BROWN)	<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277
			<input type="checkbox"/> BLK (WOOL BLACK)	<input type="checkbox"/> 41 (4100K)		
			<input type="checkbox"/> GLD (MARIGOLD)			
			<input type="checkbox"/> GRN (FERN GREEN)			

## SLAB 20.3 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2013



SLA-20.3-P-GRN-30-ELV-120

### DESCRIPTION

Slab's acoustic properties reduce ambient noise while its distinctive aesthetics stand out.

### TYPE

Pendant

### DIMENSIONS

- Luminaire: 16.5 x 27.5 x 1.5 cm / 6.5" x 11" x 0.6" PER PIECE
- Adjustable drop length: 243cm / 96"

\* CUSTOM LENGTH AVAILABLE

### CERTIFICATIONS




\* APPLICATION: DRY INDOOR LOCATION ONLY

### TECHNICAL INFORMATION

- Input Voltage: 110-120V, 220-240V, 110-277V
- Lamping: 3 x Integral 2W 12V DC LED CRI 90+, 50,000 hours
- Lumens: 3 x 122 lumens delivered
- Power Supply: Phase Dimming, 0-10V, DALI


### COLOUR TEMPERATURE



### MATERIALS

- Acrylic
- Merino Wool

### FINISHES



SERIES	SIZE	TYPE	FINISH	CCT	PS	VOLTAGE IN
SLA	20.3	P	<input type="checkbox"/> WWH (WOOL WHITE)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
			<input type="checkbox"/> GRY (WOOL GREY)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
			<input type="checkbox"/> BRN (WOOL BROWN)	<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277
			<input type="checkbox"/> BLK (WOOL BLACK)	<input type="checkbox"/> 41 (4100K)		
			<input type="checkbox"/> GLD (MARIGOLD)			
			<input type="checkbox"/> GRN (FERN GREEN)			


# AKOESTIEKLABEL

## SLAB 20.5 – P

PENDANT

MANUFACTURED IN CANADA

LUKAS PEET / 2013



SLA-20.5-P-BRN-30-ELV-120

### DESCRIPTION

Slab's acoustic properties reduce ambient noise while its distinctive aesthetics stand out.

### TYPE

Pendant

### DIMENSIONS

- Luminaire: 16.5 x 27.5 x 1.5cm / 6.5" x 11" x 0.6" PER PIECE
- Adjustable drop length: 243cm / 96"
- \* CUSTOM LENGTH AVAILABLE

### CERTIFICATIONS




\* APPLICATION: DRY INDOOR LOCATION ONLY

### TECHNICAL INFORMATION

- Input Voltage: 110–120V, 220–240V, 110–277V
- Lamping: 5 x Integral 2W 12V DC LED CRI 90+, 50,000 hours
- Lumens: 5 x 122 lumens delivered
- Power Supply: Phase Dimming, 0-10V, DALI

### COLOUR TEMPERATURE




### MATERIALS

- Acrylic
- Merino Wool

### FINISHES



 FOR CUSTOM FINISHES, PLEASE INQUIRE.

SERIES	SIZE	TYPE	FINISH	CCT	PS	VOLTAGE IN
SLA	20.5	P	<input type="checkbox"/> WWH (WOOL WHITE)	<input type="checkbox"/> 27 (2700K)	<input type="checkbox"/> ELV	<input type="checkbox"/> 120
			<input type="checkbox"/> GRY (WOOL GREY)	<input type="checkbox"/> 30 (3000K)	<input type="checkbox"/> 010	<input type="checkbox"/> 230
			<input type="checkbox"/> BRN (WOOL BROWN)	<input type="checkbox"/> 35 (3500K)	<input type="checkbox"/> DAL	<input type="checkbox"/> 277
			<input type="checkbox"/> BLK (WOOL BLACK)	<input type="checkbox"/> 41 (4100K)		
			<input type="checkbox"/> GLD (MARIGOLD)			
			<input type="checkbox"/> GRN (FERN GREEN)			