



TECHNICAL DATA SHEET




MODEL

WAVE 1-down

TYPE AND FINISH

Size	Type	Finish
1250x162x170 mm	Acoustic downlight	Flock

Base material	Sound absorption foam
Flock colour	See colour chart
Light source	Talex module stark LLE 280 400 mA, 6200 lumen, 36 Watt
Colour temperature	3000 or 4000 K
Options	Standard DALI and switch dimmable with integrated corridor function



Sound absorption foam

NRC 0,9

Absorption area RT60 frequency 250-2000Hz

0,95 m2 sabin per unit



TECHNICAL DATA SHEET




MODEL

WAVE 1-up/down

TYPE AND FINISH

Size	Type	Finish
1250x162x170 mm	Acoustic up/downlight	Flock

Base material	Sound absorption foam
Flock colour	See colour chart
Light source	Talex module stark LLE 280, 400 mA 6200 lumen down / 2400 lumen up 36 Watt down / 15,6 Watt up
Colour temperature	3000 or 4000 K
Options	Standard DALI and switch dimmable with integrated corridor function




Sound absorption foam

NRC 0,9

Absorption area RT60 frequency 250-2000Hz

0,95 m2 sabin per unit



TECHNICAL DATA SHEET




MODEL

WAVE 2-down

TYPE AND FINISH

Size	Type	Finish
1250x200x170 mm	Acoustic downlight	Flock

Base material	Sound absorption foam
Flock colour	See colour chart
Light source	Talex module stark LLE 280 400 mA, 6200 lumen, 36 Watt
Colour temperature	3000 or 4000 K
Options	Standard DALI and switch dimmable with integrated corridor function




Sound absorption foam

NRC 0,9

Absorption area RT60 frequency 250-2000Hz

0,95 m2 sabin per unit



TECHNICAL DATA SHEET




MODEL

WAVE 2-up/down

TYPE AND FINISH

Size	Type	Finish
1250x200x170 mm	Acoustic up/downlight	Flock

Base material	Sound absorption foam
Flock colour	See colour chart
Light source	Talex module stark LLE 280, 400 mA 6200 lumen down / 2400 lumen up 36 Watt down / 15,6 Watt up
Colour temperature	3000 or 4000 K
Options	Standard DALI and switch dimmable with integrated corridor function



Sound absorption foam

NRC 0,9

Absorption area RT60 frequency 250-2000Hz

0,95 m2 sabin per unit

kleuren / couleurs

De Akomo collectie is verkrijgbaar in volgende kleuren:

La collection Akomo est disponible dans les couleurs suivantes:



Red



Dark Blue




Yellow




Light Grey



Angora Grey



Anthracite




Dark Green




Beige




Koala Grey



Tabacco



Fondant Chocolate



Bordeaux